

# HX-QD 762 Ti

RIFLE



## LIGHTWEIGHT FOR THE LONG HAUL



### PRODUCT SPECIFICATIONS

<b>Weight</b>	15.0oz / 425g	<b>Technology Readiness</b>	TR Level 9 Fully developed, in production.
<b>Caliber</b>	5.56, 6.5, 7.62, .308, 6mm, 7mm, 300 WM, 300 PRC, 30-06	<b>Mounts</b>	556 / 762 QD Muzzle Brakes and Flash Hiders Comp-QD 762
<b>Bolt Velocity</b>	±5% from base w/ Muzzle Brake-QD 762	<b>Barrel Length</b>	No restrictions
<b>Materials</b>	17-4 Heat Treated Stainless Steel Grade 5 Titanium	<b>Durability</b>	Passes 6 cycles of the SOCOM Reliability Stress Test. (1 cycle=8x30 round magazines)
<b>Coating</b>	C-Series Cerakote™ Matte Black (Flat Dark Earth available)	<b>Maintenance</b>	Detailed cleaning should be performed every 2,500 rounds.

### WARRANTY INFORMATION

HUXWRX provides a limited lifetime warranty against all manufacturing defects on all products manufactured by HUXWRX Safety Co. and OSS Suppressors. For more information, visit [www.huxwrx.com/warranty](http://www.huxwrx.com/warranty).